# Global Conservation Laws for Systems

## I. INTRODUCTION

The difficulties that arise in solving even the simplest Newtonian problems are amplified enormously whenever we treat larger collections of particles. This motivates us to seek global theorems describing those relationships which we believe to be of universal validity *irrespective* of the specific complexity at hand. In essence, we believe that, no matter how complicated a system is, certain important features remain simple and we would like to focus in on them at the very outset. The present summary introduces certain of these central results and provides suggestive derivations based on Newton's laws. The standard derivations are, however, open to very many serious objections. Nonetheless, the ensuing discussion has been rich and fruitful and further contributed to the development of analytical mechanics.

### **II. CENTER OF MASS**

The center of mass  $\vec{R}_{cm}$  of a collection of point masses  $\{m_1, m_2, \ldots, m_n\}$  situated respectively at  $\{\vec{r}_1, \vec{r}_2, \ldots, \vec{r}_n\}$  is defined as

$$M_{tot}\,\vec{R}_{cm} \equiv \sum_{i=1}^{n} m_i\,\vec{r}_i,\tag{1}$$

where  $M_{tot} \equiv \sum_{i=1}^{n} m_i$ . We now conclude, by simple deduction, that

$$\vec{P}_{tot} = \sum_{i} \vec{p}_{i} = \sum_{i=1}^{n} m_{i} \frac{d}{dt} \vec{r}_{i} = \frac{d}{dt} \sum_{i=1}^{n} m_{i} \vec{r}_{i} = M_{tot} \frac{d}{dt} \vec{R}_{cm} = M_{tot} \vec{V}_{cm}.$$
(2)

Further,

$$M_{tot}\frac{d^2}{dt^2}\vec{R}_{cm} = \frac{d}{dt}\vec{P}_{tot} = \vec{F}_{net}^{net\,external},\tag{3}$$

since by Newton's third law we believe (under the assumption that internal forces cancel pairwise ...) that:

$$\sum_{i=1}^{n} \vec{F}_{i} = \vec{F}_{i}^{external} \tag{4}$$

i.e. the motion of the center of mass is governed by external forces alone.

#### III. ENERGY

We note that, by rearranging equation (??), we may write

$$\sum_{i} m_i \left( \vec{r}_i - \vec{R}_{cm} \right) = 0 \tag{5}$$

so that it is often convenient to write

$$\vec{r}_{i} = \vec{R}_{cm} + (\vec{r}_{i} - \vec{R}_{cm}) \equiv \vec{R}_{cm} + \vec{r}_{i}^{\,\prime} \tag{6}$$

$$\sum_{i} m_{i} \vec{r}_{i}^{\,\prime} \equiv 0 \tag{7}$$

so that it will *also* be true that:

$$\frac{d}{dt}\sum_{i}m_{i}\vec{r}_{i}' = \sum_{i}m_{i}\vec{v}_{i}' = \frac{d}{dt}(zero) \equiv 0$$
(8)

Notice that this may also be expressed as:

$$\sum_{i} m_i \frac{d}{dt} \vec{r}_i' = \sum_{i} m_i \vec{v}_i' \equiv 0 \tag{9}$$

In that case the kinetic energy may be written

$$KE = \sum_{i=1}^{n} \frac{m_i}{2} \frac{d\vec{r_i}^2}{dt}$$
$$= \frac{1}{2} \sum_{i=1}^{n} m_i \left( \vec{V}_{cm} + \vec{v}_i' \right) \cdot \left( \vec{V}_{cm} + \vec{v}_i' \right)$$
$$= \frac{1}{2} M_{tot} \vec{V}_{cm} \cdot \vec{V}_{cm} + \frac{1}{2} \sum_{i=1}^{n} m_i \vec{v}_i' \cdot \vec{v}_i'$$
(10)

where we have made a simple application of equation (??) to conclude that

$$\sum_{i} m_i \vec{V}_{cm} \cdot \vec{v}_i' = \vec{V}_{cm} \cdot \sum_{i} m_i \vec{v}_i' \equiv 0$$

so that the cross terms drop out identically and we are left with:

$$KE_{tot} = KE_{cm} + KE_{rel}$$

where

$$KE_{cm} = \frac{1}{2}M_{tot}V_{cm}^{2}$$
  

$$KE_{rel} = \frac{1}{2}\sum_{i=1}^{n}m_{i}(v_{i}')^{2}$$

and we observe that the **Center of Mass - Relative** decomposition obtains for the *energy* as well.

## IV. ANGULAR MOMENTUM

In the same way we may also define the total angular momentum and perform our *CM-Relative* decomposition on it as before:

$$\vec{L}_{tot} \equiv \sum_{i=1}^{n} \vec{r}_i \times \vec{p}_i \tag{11}$$

$$= \sum_{i=1}^{n} (\vec{R}_{cm} + \vec{r}_{i}') \times m_{i} (\vec{v}_{cm} + \vec{v}_{i}')$$
(12)

$$= \vec{R}_{cm} \times M_{tot} \vec{V}_{cm} + \sum_{i=1}^{n} \vec{r}_{i}' \times m_{i} \vec{v}_{i}'$$
(13)

$$= \vec{L}_{cm} + \vec{L}_{rel} \tag{14}$$

3

We observe that just the same process holds here too. Now, taking a time derivative and using the fundamental equation of motion, we see:

$$\frac{d}{dt}\vec{L}_{tot} = \sum_{i=1}^{n} \vec{r}_i \times \frac{d}{dt}\vec{p}_i \tag{15}$$

$$=\sum_{i=1}^{n} \vec{r_i} \times \vec{F_i} \tag{16}$$

$$= \sum_{i=1}^{n} (\vec{R}_{cm} + \vec{r}_{i}') \times \vec{F}_{i}$$
  
=  $\vec{R}_{cm} \times \sum_{i=1}^{n} \vec{F}_{i} + \sum_{i=1}^{n} \vec{r}_{i}' \times \vec{F}_{i}$  (17)

Again, by Newton's third law we believe (under the assumption that internal forces cancel pairwise) that:

$$\sum_{i=1}^{n} \vec{F_i} = \vec{F_i}^{net\,external} \tag{18}$$

so that

$$\frac{d}{dt}\vec{L}_{tot} = \vec{R}_{cm} \times \vec{F}_{net}^{ext} + \sum_{i=1}^{n} \vec{r}_{i}' \times \vec{F}_{i}$$
$$\frac{d}{dt}(\vec{L}_{cm} + \vec{L}_{rel}) = \vec{R}_{cm} \times \vec{F}_{net}^{ext} + \sum_{i=1}^{n} \vec{r}_{i}' \times \vec{F}_{i}$$
(19)

But since independently (see above) we have:

$$\frac{d}{dt}\vec{L}_{cm} = \vec{R}_{cm} \times \vec{F}_{net}^{ext} \tag{20}$$

which we can combine with the equations above to achieve the further result:

$$\frac{d}{dt}\vec{L}_{rel} = \sum_{i=1}^{n} \vec{r}_i' \times \vec{F}_i \qquad . \tag{21}$$

This last equation is now finally expressed as

$$\frac{d}{dt}\vec{L}_{rel} = \sum_{i=1}^{n} \vec{r}_i' \times \vec{F}_i^{ext}$$
(22)

under the argument that the net-sum of all *internally* generated torques *must also* finally add up to zero.

## V. SUMMARY OF OUR RESULTS

We now collect the central results of this presentation:

$$M_{tot} \vec{R}_{cm} \equiv \sum_{i=1}^{n} m_i \vec{r_i}$$
(23)

$$M_{tot} \vec{V}_{cm} = \sum_{i} \vec{p}_{i} = \vec{P}_{tot}$$
<sup>(24)</sup>

$$M_{tot}\vec{A}_{cm} = \frac{d}{dt}\vec{P}_{tot} = \vec{F}_{net}^{net\,external} \tag{25}$$

$$KE_{cm} = \frac{1}{2}M_{tot}V_{cm}^2 \tag{26}$$

$$KE_{rel} = \frac{1}{2} \sum_{i=1}^{n} m_i (v_i')^2$$
(27)

$$KE_{tot} = KE_{cm} + KE_{rel} \tag{28}$$

$$\frac{d\vec{L}_{rel}}{dt} = \sum_{i=1}^{n} \vec{r}_i' \times \vec{F}_i^{ext}$$
<sup>(29)</sup>

$$\frac{d\vec{L}_{cm}}{dt} = \vec{R}_{cm} \times \vec{F}_{net}^{ext}$$
(30)